DISPOSABLE WORKWEAR

DISPOSABLE GARMENTS



Electrostatic Performance (Anti-Static) prEN1149-5:2006

Protective clothing with electrostatic properties. This standard covers two test methods. (EN1149-1 / EN1149-3) and the performance requirements (EN1149-5). It specifies material and design requirements for electrostatic dissipative protective clothing used as part of a total earthed system to avoid incendiary discharge of static electricity.



EN14786:2006

Tests for chemical sprayed under pressure. The leaf on the logo indicates that it is suitable for use with pesticides and herbicides.



Chemical Protection – Reduced Spray

EN13034 Type 6

EN13034:2005 Type 6 (PB) Partial body.

EN1513 Limited use protection for parts of the body.



Chemical Protection - Dry Particle

EN13982 Type 5 Protective clothing for use against solid particulates Type 5.

EN1513 Limited use protection for parts of the body



Chemical Protection – Spray Tight

EN1512:1993, EN465:1995 Type 4,

EN14605:2005 Type 4 (also Type 3)

EN 467:1995 Partial body protection only.

These standards provide performance requirements for clothing with spray tight connections and seams.



Chemical Protection – Liquid Tight

EN1511:1994, EN466:1995 Type 3,

EN14605:2005 Type 3 (also Type 4)

These standards provide performance requirements for clothing with liquid tight connections and seams.



Chemical Protection – Non-Gas-Tight

prEN943:1995 Type 2



Chemical Protection - Gas-Tight

prEN943:1995 Type 1



Protection against Radioactive Particles

EN1073-2



Protection against Infective Agents (Biohazard)

EN14126:2003



Protection against chemicals and micro-org

EN374-2



Chemical Dangers

EN374-3



Food Symbol

This displayed symbol ensures that a glove is suitable to be used for food handling





COVERALLS TYPE 5/6

REDBACK COVERSTAR LAMINATE DISPOSABLE **COVERALL DSRCC**

Colours

The Redback Coverstar Coverall has a soft breathable fabric and is resistant to noxious dust and splash. Non-linting. Ideal for use in a wide range of applications. Laminate material increases water resistance. Type 5/6.

Sizes M-XXXL















REDBACK COVERSTAR XTREME SMS DISPOSABLE **COVERALL** DSSX

Colours



The COVERSTAR XTREME SMS Coverall has an extremely breathable SMS fabric suitable for prolonged periods of use. Featuring an elasticated hood, cuffs and ankles, with a two way zip and an adhesive cover flap. Its strong and robust properties provide a good chemical barrier to dry hazardous particles. Extremely comfortable to wear offering the best value within our Cat III Type 5 & 6 range.

Sizes S-XXL









EN13982-1: TYPE 5B, EN13034: TYPE 6B, EN1073-2: RADIO ACTIVE, CAT III

Type 5,6

EN1073-2, EN1149-5, EN13982-1 (Type5), EN13034-1 (Type6), EN14126 (5B, 6B)



3M 4530 FLAME RETARDANT DISPOSABLE COVERALL DS4530

Colours



Breathable fabric giving protection against chemicals, oil. Flame retardant. Type 5/6.

Sizes S-4XL











COVERALLS TYPE 5/6

3M 4535 VENTED DISPOSABLE COVERALL

DS4535

The 3M 4535 provides a superb balance of comfort and protection. The microporous PE laminate at the front of the garment is designed to offer a good barrier to limited liquid splash, whilst the large breathable back panel increases wearer comfort. Elasticated hood, ankles and waist. 2 way zip with storm flap. Knitted cuffs. Low linting.

EN13982-1: TYPE 5, EN13034: TYPE 6, EN1073-2, EN1149-5

Colours

Sizes S-XXXL











TYPE 3/4/5/6 COVERALLS

3M 4570 PROTECTIVE DISPOSABLE COVERALL

DS4570

The 3M[™] Protective Coverall 4570 is a chemical protective suit with Type 3/4/5/6 levels of protection. Double front closing system with internal stormflaps for extra protection, Large zip pulls for ease of use, Elasticated cuffs with thumb loops for secure fit during overhead work, Elasticated waist and ankles for increased comfort and freedom of movement, Adhesive chin flap, Super low-linting, Anti-static.

EN 14126, EN 1149-5, EN 1073-2, EN 13034:2005+A1:2009 Type 6, EN ISO 13982-1:2004 Type 5, EN 14605:2005+A1:2009 Type 3, EN 14605:2005+A1:2009 Type 4.

Colours

Sizes M-XXXL















HONEYWELL SPACEL C MEDIUM DISPOSABLE COVERALL

DS4506001

The Spacel Suit is liquid tight, antistatic, single use Protective Clothing designed to protect against chemicals, radioactive particles and biological agents. Spacel Comfort Medium is Type 3,4,5 and 6 and silicone & latex free. 3 piece hood, special crotch design, dual slider zipper. Knee pads. Enhanced protection: - Stitched & taped seams for better tightness. Double adhesive flap with double zipper.

Type 3/4/5/6 EN1149-5, EN1073-2, EN14126, EN 13034: Type 6, EN 13982-1 Type 5, EN14605 Type 3,4,

Colours



Sizes S-XXXL

Honeywell

















COVERALLS TYPE 5/6

TYVEK Xpert CLASSIC COVERALL C/W HOOD DSTCXW

The Tyvek Classic Xpert Coverall is a category 3, Type 5/6 Coverall made from a 3 ply fabric. This fabric is soft and comfortable to wear and work in. Its features include an elasticated hood, two way front zipper.

EN13982-1: TYPE 5B, EN13034: TYPE 6B, EN14126: BIOHAZARD, EN1073-2: RADIOACTIVE,

EN1149 -5

Colours

Sizes M-XXXL













TYVEK INDUSTRY COVERALL (NO HOOD)

DSTIDO

The Tyvek Industry Coverall with collar is a category 3, type 5/6 Coverall made from a soft and comfortable 3 ply fabric. Features include a two way zipped front, collared neck, and an adhesive flap for extra sealing,

EN13982-1: TYPE 5B, EN13034: TYPE 6B, EN14126: BIOHAZARD, EN1073-2: RADIOACTIVE Colours

Sizes **S-XXL**









COVERALLS - MINIMUM RISK

REDBACK POLYPROPYLENE COVERALL

DSPDO

Disposable overall in 40g polypropylene, elasticated wrists, ankles, hood and waist, zip front fastening, individually bagged.

CE Minimum Risk





LABORATORY COATS

CHEMSPLASH ZIP FASTEN LAB COAT

DSCPLC

Chemsplash Type 5 & 6 anti-static, non-linting fabric. Zip fasten front. Elasticated cuffs. Fold over collar.

EN13982-1: TYPE 5, EN13034: TYPE 6,

EN14126,

EN1149-5

EN1073-2



Sizes













TYVEK LAB COAT

DSTDLC

Tyvek Type 5/6 anti-static, non-linting fabric. Zip fasten front. Elasticated cuffs, fold over collar.

Type 5/6

EN1149-1



Sizes

S-XXL







POLYPROPYLENE LAB COAT

DSPDLV

Disposable overcoat in 40g polypropylene, elasticated wrists and velcro front fastening, with collar, no pockets, individually bagged. Boxed 50 per size.

CE Minimum Risk











ACCESSORIES

CHEMSPLASH DISPOSABLE HOOD

DSDMH

The Chemsplash Cape Hood is made from Chemsplash Pro fabric which is soft and microporous. It is strong and resistant to chemical splash and dust. This cape hood is elasticated at the face and covers the hair, neck and top of the shoulders. It is anti-static to meet with EN1149-5:2008, lint free and suitable for clean room applications



Colours

EN1149-5



CHEMSPLASH DISPOSABLE OVERSLEEVES

DSDMOS

The Chemsplash Oversleeves are made from Chemsplash pro fabric which is soft and microporous. It is strong and resistant to chemical splash and dust. This oversleeve is elasticated at both ends for ease of fit. It is anti-static to meet with EN1149-5:2008, lint free and suitable for clean room applications.

Length **16" (40cm)**

Colours



EN1149-5

OVERSHOES, OVERBOOTS



CHEMSPLASH DISPOSABLE OVERBOOTS

DSCOB

The Chemsplash Non Slip Overboot is made from Chemsplash pro fabric which is soft and microporous. It is strong and resistant to chemical splash and dust. This overboot is elasticated at the calf and ankle and has a non slip clear pvc sole. It is anti-static to meet with EN1149-5:2008, lint free and suitable for clean room applications.

Colours

Length **16" (40cm)**

Size

L – XL

4

EN1149-5



CHEMSPLASH DISPOSABLE OVERSHOES

DSCOS

The Chemsplash Elasticated Overshoe is made from Chemsplash pro fabric which is soft and microporous. It is strong and resistant to chemical splash and dust. It is anti-static to meet with EN1149-5:2008, lint free and suitable for clean room applications.

EN1149-5



Length **16" (40cm)**

Size L – XL



OVERSHOES, OVERBOOTS

CPE DISPOSABLE OVERSHOES

DSDOB

Colours

Hard wearing disposable overshoe with elasticated top. No elastic bands in packaging.

Pack = 100, Case = 2000 Shoes.



DE-LUXE TWO-TONE ANTI-SLIP OVERSHOES

DSASOBW100

Colours

Anti slip breathable overshoe in white 45g polythene with a blue high slip resistant polyethylene embossed sole. Elasticated top.

Length

16" (40cm)



Pack = 100, Case = 1000 Shoes.

DE-LUXE ANTI-SLIP OVERSHOES

DSASOW100

Colours

Anti slip breathable overshoe in white 45g polythene with a white high slip resistant polyethylene embossed sole. Elasticated top.

Length 16" (40cm)



Pack = 100, Case = 1000 Shoes.

HEAVYWEIGHT OVERSHOES


DSDOWHW

Colours

Disposable slip resistant overshoe. Heavyweight and durable fabric.

Length








HEAVYWEIGHT OVERSHOES

Colours



Length 16" (40cm)

idorie.		10 (40011)
DSDOSHY	Yellow	Pack = 400, Case = 800 Shoes
DSDOSHG	Green	Pack = 400, Case = 800 Shoes
DSDOSHR	Red	Case = 500 Shoes
DSDOSHB	Blue	Case = 500 Shoes



FOOD INDUSTRY GLOVES



NITRIGRIP

GLNG

EN374-2 | EN374-3

Ambidextrous extra long and thick nitrile household glove with fish scale type grip on palm and back. Powder free. Food Handling Approved for all categories including fatty foods.



Box 50 gloves Carton 500 gloves Size M-XXXL









GLNGXD

EN374-2 | EN374-3



Extra dexterity ambidextrous extra long and thick nitrile household glove with fish scale type grip on palm and back. Powder free. Food Handling Approved for all categories including fatty foods.

		5
		(

Box 50 gloves Carton 500 gloves Size M-XXXL









NITRIPLUS / NITRIPLUS XD

GLNP / GLNPXD

EN420 | EN374-2 | EN374-3 | EN1186

Ambidextrous extra long and thick glove household glove. Powder free. Food Handling Approved for all categories including the key fatty foods category. XD is a higher dexterity version.

Box 50 gloves

Carton 500 gloves Size M-XXXL











REDBACK NITRILE POWDER FREE GLOVES - GLNPFD

EN420 | EN1186

Blue ambidextrous disposable glove. Powder free. Good tear resistance. Food Handling Approved for all categories.

> Box 100 gloves

Carton 1000 gloves Sizes S-XL





FINITE NITRILE POWDER FREE GREEN

GLOVE - GLNPFDG

EN420 | EN374-2 | EN374-3 | EN1186

Nitrile synthetic rubber glove which provides an effective barrier against oils, acids and other chemicals. Beaded cuff prevents liquid roll back. Available in powdered and powder free versions.

Box 100 gloves Carton 1000 gloves Sizes S-XL







FOOD INDUSTRY GLOVES

VINYL BLUE DISPOSABLE GLOVE

GLVBD

EN420 | EN1186

Ambidextrous disposable glove. Beaded cuff for extra strength, lightly powdered, Food Handling Approved.

Box

100 gloves

Carton 1000 gloves Sizes S-XL





NITRILE ELITE GLOVES

GLNT

EN420 | EN388 4201 | EN374-2 | EN374-3 | EN1186

Nitrile synthetic rubber glove with a flock lining. Grip pattern on palm, protects against chemicals including strong detergents, oils and certain solvents. Food handling approved. Similiar to household glove.













TEGERA 12910 EXTRA LONG GAUNTLET

GLOVE - GLT12910

EN420 | EN 388 4121 | EN374-2 | EN374-3

Ideal for use in food processing, chemical industries, utilities, maintenance, cleaning, handling oily parts. Soft PVC coating maintains dexterity and pliability at low temperatures. Based on a 13 gauge seamless liner. Ergonomic hand shape provides an excellent natural fit. Dipped rough finish makes handling wet and slippery materials easier and safer. Heat sealed sleeve.

Sizes

M-XL











MULTI-PURPOSE DISPENSER

HYMPD

Wall-mounted multi-purpose workwear dispenser manufactured from PVC plastic. Two compartments for multiple uses. Supplied with fittings.

Size

345mm H 300mm W 235mm D



APRONS & SLEEVES



TPU APRON

WWTPUA

High quality stretchable food grade apron with a mirror finish surface. High fusion point which allows very high temperature washing.









One Size



TPU OVERSLEEVES

WWTSON

Polyurethane oversleeves with high frequency welded seams. Elasticated at both ends. Bacteria proof. Very effective protection against oils, fat and degreasers. Machine washable. Can be dried at temperature up to 82 degrees celsius.

Colours



18" (46cm) long





BUTCHERS STRIPED APRON

Proofed nylon oxford bib striped apron, lightweight and flexible, wrap around minimum tangle ties, water resistant. Colours



Sizes One Size



PE APRON STANDARD WEIGHT - FLAT PACKED

DSPEDA100

20 Micron PE Apron manufactured with embossed polythene. (Pack 100) Standard colour BLUE. Other colours on request.

Colours



Length 54" x 27" (138cm x 69cm)



20 Micron PE Apron on a roll manufactured with embossed polythene. Standard colour BLUE. Other colours on request. Colours



Length 54" x 27" (138cm x 69cm)

APRONS & SLEEVES

50 MICRON PE APRON - FLAT PACKED

DSPEDAHW500

Heavier weight 50 Micron Apron manufactured with embossed polythene. Flat Packed, Box 500.

Colours

Length 54" x 27" (138cm x 69cm)



50 MICRON PE APRON ON A ROLL

DSPEDA50M500



Heavier weight Polyethylene Apron on a roll. 50 microns thickness. Supplied in Case of 500 i.e. 5 rolls of 100.

Length 54" x 27" (138cm x 69cm)



MOB CAPS

SINGLE ELASTIC PLEATED MOB CAP

DSMC100

Colours

Soft lightweight round elasticated bonnet in polypropylene, non woven 18g fabric, single elastic.

Sizes



Packs of 100





DSMC100DE



Soft lightweight round elasticated bonnet in polypropylene, non woven 18g fabric, double elastic.

Sizes







METAL DETECTABLE PLEATED MOB CAP

DSMDMC

Colours

Soft lightweight round elasticated bonnet in polypropylene with double stitched elasticated headband. Metallic strip. Pleated for compact storage.

Sizes One Size

Packs of 100





SNOOD CAPS

SNOOD CAPDSSC

Colours

General purpose head cover. Spun polypropylene with peak.

Sizes
One Size

Case of 500



BALACLAVAS & BEARD COVERS

POLYPROPYLENE DISPOSABLE BALACLAVA

Colours



The Economy Polypropylene Balaclava Hood is ideal for food handling & perfect for a whole host of hygienic work environments. Made from Spun polypropylene, 36cm from crown to neck, Full head enclosure, Elasticated neck band.

Sizes

14" (36cm) from crown to neck

Packs of 100

DSPDBH

Standard

DSPDBEFB

Elasticated Face Area (Blue Only)



BEARD COVERS

DSDBC

Colours

Polypropylene non-woven 18g fabric with elastic fastenings.

Sizes

Packs of 100

One Size

PE OVERSLEEVES

PE ECONOMY OVERSLEEVES DSPDOSE Polythene disposable oversleeve elasticated at both ends. Length 40cm. Length 40cm. Boxed 2000 sleeves



PE HANDMADE OVERSLEEVES DSPDOS	Colours	
Polythene disposable oversleeve elasticated at both ends. Length 40cm	Sizes One Size	

Boxed 200 sleeves

PE VISITORS COATS

PE VISITORS COAT

DSPEVC500

PE Disposable Visitors Coats are manufactured from embossed polythene. Extra white hue.

Case 500

Colours

Sizes

Length 48"

x Width 27"

(120cm x 70cm)

