

## PROTECTIVE GLOVES

THE WORKERS' HANDS ARE THE MOST IMPORTANT TOOL FOR THEM AND THEY ARE EXPOSED DAILY TO SEVERAL RISKS. IN ORDER TO ALLOW THE USER MAKE THE RIGHT CHOICE, INDUSTRIAL GLOVES HAVE TO BE CLASSIFIED ACCORDING TO THE CE STANDARD IN SEVERAL CATEGORIES.

### CATEGORY I SIMPLE DESIGN

Covers the minor risks when the glove is used for comfort only. For areas of 'minimal risk' where the effects of wearing a glove are easily reversible or superficial. Self-certified by the manufacturer or distributor. If the job presents any kind of danger the worker has to be equipped with a Category II or III product.

### CATEGORY II INTERMEDIATE DESIGN

For areas of specific risk, for example mechanical risks. These gloves have to be tested and certified by an independent notified laboratory. They comply to one of several standards and are marked with the indication of the level of performance. For these gloves a technical leaflet or a CE certification form are available on request.

### CATEGORY III COMPLEX DESIGN

For areas or applications that can seriously or irreversibly harm the user's health. These gloves have to be tested and certified by a notified laboratory and have to be produced in addition to a certified process of quality control. They comply to one of several standards and are marked with the indication of the level of performance. A technical leaflet and a CE certification form are available on request.

EN 388:2016 guide, according to the EN ISO 13997 TDM cut test method.

	Low Cut Protection level	Medium Cut Protection level	High Cut Protection Level	Extra High Cut Protection Level		
Performance Level Rating	A	B	C	D	E	F
Cut Resistance (Newton)	>2	>5	>10	>15	>22	>30
Suggested applications	Light material handling without sharp edges objects, part assembly, automotive maintenance, construction, multipurpose...	Packaging, warehouse, light metal stamping, automotive and white goods parts assembly ...	Light duty sheet metal and glass handling, metal stamping, plastics, tyre production, automotive and white goods industries ...	Sheet metal and glass/bottle handling, metal stamping, light duty meat and poultry handling, carpentry, printing ...	Heavy duty sheet metal handling, plate glass handling, metal recycling, waste management, meat and poultry handling, printing ...	Heavy duty sheet metal handling, metal recycling, waste management, heavy duty meat processing, slaughterhouses.

EN 388:2016





3X43EP




**3** (Cycles) Abrasion  
**X** (Coupe Test) Cut  
**4** (N) Tear  
**3** (N) Puncture  
**E** **NEW!** (TDM Test) Cut  
**P** **NEW!** Impact Protection


**If the glove passes Impact protection standard \* Possible to claim Impact protection in adding "P" on marking.**


GLOVE STANDARDS		LEVEL OF PERFORMANCE		1	2	3	4	5	6
	<b>EN388 Mechanical Risk</b>  Pre EN388:2016	a	resistance to abrasion	in number of cycles	100	500	2000	8000	
		b	resistance to cutting edge	coefficient	1.2	2.5	5.0	10.0	20
		c	resistance to tearing	in newtons	10	25	50	75	
		d	resistance to piercing	in newtons	20	60	100	150	

GLOVE STANDARDS		LEVEL OF PERFORMANCE		1	2	3	4	5	6
	<b>EN 407 Heat and/or Fire</b>	a	behaviour in fire	flame persistence time	20s	10s	3s	2s	
		b	resistance to contact heat	15 seconds at	100°C	250°C	350°C	500°C	
		c	resistance to convective heat	transmission of heat	4s	7s	10s	18s	
		d	resistance to radiant heat	transmission of heat	5s	30s	90s	150s	
		e	resistance to small projections of liquid metal	number of drops needed to obtain a 40°C temp. rise	5	15	25	35	
		f	resistance to large projections of liquid metal	grams of molten iron needed to provoke surface burning	30	60	120	200	

	<b>EN 421 Ionising Radiation and/or Radioactive Contamination</b>	The glove must succeed the tightness test and go through a number of specific tests depending upon its use	Acceptable Quality Level	4	1.5	0.65			
---	---	--	--------------------------	---	-----	------	--	--	--

	<b>EN 374-2 Protection against chemicals and micro-org</b>	infiltration with air							
---	--	-----------------------	--	--	--	--	--	--	--

	<b>EN374-3 Chemical Dangers</b>	resistance to permeation	time in minutes	10	30	60	120	240	480
---	---------------------------------	--------------------------	-----------------	----	----	----	-----	-----	-----

	<b>Food Symbol</b>	This displayed symbol ensures that a glove is suitable to be used for food handling							
---	--------------------	---	--	--	--	--	--	--	--



**ACER NITRILE FOAM PALM COATED GLOVE**  
GLRAPC

EN420 | EN388:2016 4131X

Nylon and Lycra blend liner providing one of the most comfortable and supportive gloves on the market. Patented palm NFT® coating, specially developed for when precision handling is required, produces unrivalled grip in dry, wet and oily conditions. Provides class leading abrasion resistance greater than 25,000 cycles. Certified to the Oeko-Tex® standard 100 for environmentally friendly textiles. Enhanced breathability working in conjunction with the Sanitized® hygiene function provides prolonged freshness, protection and outstanding wearer comfort over heavily extended uses.

Size  
**S-XL**



**ACER NITRILE FOAM FULLY COATED GLOVE**  
GLRAF C

EN420 | EN388:2016 4131X

Nylon and Lycra blend liner providing one of the most comfortable and supportive gloves on the market. Patented full NFT® coating, specially developed for when precision handling is required, produces unrivalled grip in dry, wet and oily conditions. Provides class leading abrasion resistance greater than 25,000 cycles. Certified to the Oeko-Tex® standard 100 for environmentally friendly textiles. Enhanced breathability working in conjunction with the Sanitized® hygiene function provides prolonged freshness, protection and outstanding wearer comfort over heavily extended uses.

Size  
**M-XL**



**BOA PALM COATED**  
GLBAPC

EN420 | EN388:2016 4121X

Nylon and Lycra blend liner providing one of the most comfortable and supportive gloves on the market. Patented palm NFT® coating, specially developed for when precision handling is required. Produces unrivalled grip in dry, wet and oily conditions. Enhanced breathability working in conjunction with the Sanitized® hygiene function provides prolonged freshness, protection and outstanding wearer comfort over heavily extended uses.

Size  
**S-XL**



## FOAM NITRILE COATED

**737 FULLY COATED MICRO-FOAM GLOVE**  
GLT737

EN420 | EN388 | 4131

TEGERA® 737 is a thin, supple, flexible and hard-wearing assembly glove. It has been anatomically designed for maximum freedom of movement, and is suitable for precision work. MFG™ (Microfoam grip finish) dipping provides a controlled, superior grip in oily and wet environments. The superlight, seamless lining is made from Nylon/Lycra for excellent comfort, fit and movement.



Size  
**S-XL**



**TEGERA®**

## CUT PROTECTION

**DYNEEMA PU COATED  
GLOVE (CUT 3) GLDPUC**

EN420 | EN388 4343 | EN388:2016 4X43B

Cut 3 seamless knitted liner gloves with low lint level. Resistance to cuts combined with good dexterity. PU coating on palm and finger tips. Superior quality liner ensures comfort, flexibility and breathability.



Size  
**S-XL**



**DYNEEMA PU COATED  
GLOVE (CUT 5) GLRPUC5**

EN420 | EN388 4543 | EN388:2016 4X43C

Cut 5 seamless knitted liner gloves with low lint level. Excellent resistance to cuts combined with good dexterity. PU coating on palm and finger tips. Superior quality liner ensures comfort, flexibility and breathability.



Size  
**S-XL**





## KEVLAR PROTECTION

### K-GRIP KEVLAR GLOVE

EN420 | EN388 | 3443

GLKG

Superior quality seamless knitted KEVLAR liner gloves with a rippled latex coating. Long lasting, good dexterity in all conditions.

Size  
**S-XL**



### KEVLAR SLEEVE

EN420 | EN388 | 1343 | EN407 | x1xxxx

GL4666

100% Kevlar Sleeve with thumb slots. Resistant to cuts, slashes, abrasions and heat. Length 14" (36cm). Also available in 18" (45cm) length.

Size  
**14" (36cm) and 18" (45cm)**



## HIGH DEXTERITY GRIP GLOVES



### POLY GRIP GREY GLOVE

EN420 | EN388 | 4131

GLPGG

Seamless nylon liner with a polyurethane (PU) coating, outstanding dexterity, ventilated back ensures hand breathes easily.

Size  
**M-XL**



### FOAMAX GRIP GLOVE

EN420 | EN388 | 4131

GLFGG

Seamless nylon liner with a sensitive supported nitrile palm coating, outstanding dexterity, ventilated back ensures hand breathes easily.

Size  
**M-XL**



## HIGH DEXTERITY GRIP GLOVES

### FOAMAX ULTRA GRIP GLOVE GLFUG

EN420 | EN388 | 4131

Seamless nylon liner with a sensitive supported nitrile coating, outstanding dexterity, fully coated for users in wet conditions.

Size  
**L-XL**



### CLICK 3 DIGIT GLOVE (CUT 1) GLC3G

EN420 | EN388 | 4121

Polyester glove with polyurethane coated palm. Machine knitted. Integrated elasticated wrist.

Size  
**M-XL**



## SHOCK ABSORBING SKELETON GLOVES

### SKELETON 1 HI-VIS GLOVE (CUT 1) GL2332271

EN388 | 3122

Skeleton 1 Hi-Vis yellow polyester knit glove with black foam nitrile coating. Rubber reinforcement pads sewn on back of hand and fingers.

Size  
**7 - 11**



**Honeywell**



### SKELETON 3 FIBRE KNIT GLOVE (CUT 3) GL2332275

EN388 | 4343

Skeleton 3 HPPE Spectra fibre/Elastan knit glove with black foam nitrile coating. Rubber reinforcement pads sewn on back of hand fingers.

Size  
**7 - 11**



**Honeywell**



**REDBACK GRIP GLOVE**

GLRG

EN420 | EN388 | 2243

Superior quality seamless knitted liner gloves with a rippled latex coating. Long lasting, good dexterity in all conditions. Individually bagged and barcoded.

Size  
**M-XL**

**MAX-GRIP GLOVE**

GLMG

EN420 | EN388 | 2243

Seamless knitted liner gloves with a rippled latex coating. Good dexterity in all conditions. Gloves are individually bagged and barcoded.

Size  
**M-XL**

**PRO-GRIP GLOVE**

GLPG

EN420 | EN388 | 2242

Seamless knitted liner gloves with a rippled latex coating. Good dexterity in all conditions.

Size  
**M-XL**

**BLUE GRIP GLOVE**

GLBG

EN420 | EN388 | 3121

CLICK Blue Grip Glove with 100% interlock cotton liner. Natural rubber latex coating - crinkle finish.

Size  
**M-L**



## THERMAL GRIP GLOVES

### TOPAZ ICE THERMAL GRIP GLOVE

GLTIWG

EN388 | 2242 | EN511 | X2X

The TOPAZ Ice Grip Glove features a textured latex palm for superb grip. Ideal for a range of general handling, disposal operations and warehousing activities. A good cold conditions glove.

Size  
**S-XXL**



### A146 THERMAL GRIP GLOVE

GLA146

EN420 | EN388 | 4141 | EN511 | 02X

The PORTWEST A146 Cold conditions glove is the latest development in hand protection. Twin liner traps in heat with a 3/4 dipping to keep hands dry. Soft nitrile foam dipping offers full protection to the fingers. Open back for breathability.

Size  
**M-XXL**



### 682A THERMAL GRIP GLOVE

GLT682

EN420 | EN388 | 2332 | EN511 | 02X

Synthetic glove, Latex, 3/4 dipped, Acrylic. Hi-Vis Orange/Grey. Water repellent palm and knuckle. Suitable for all round work.

Size  
**XS-XXL**



**TEGERA®**







## FULLY COATED GLOVES

### NITRILE FLEX GLOVE

EN420 | EN388 | 4221

GLNF

Blue fully coated nitrile glove. Thick jersey liner with a knitted wrist. Excellent abrasion resistance.

Size  
**XL**



## PVC GLOVES

### PVC KNITTED WRIST GLOVE

EN420 | EN388 | 4121

GLPVCKW

PVC Fully Coated Knitwrist glove. Smooth finish. Flexible and Waterproof.

Size  
**XL**



### PVC OPEN WRIST GLOVE 11"

EN420 | EN388 | 4121

GLPVC11

PVC Fully Coated Open Wrist glove. 11" (28cm) in length. Smooth finish. Flexible and Waterproof.

Size  
**XL**



### PVC OPEN WRIST GLOVE 14"

EN420 | EN388 | 4121

GLPVC14

PVC Fully Coated Open Wrist glove. 14" (36cm) in length. Smooth finish. Flexible and Waterproof.

Size  
**XL**



## PVC GLOVES

**PVC OPEN WRIST GLOVE 18"**  
GLPVC18

EN420 | EN388 | 4121

PVC Fully Coated Open Wrist glove. 18" (45cm) in length. Smooth finish. Flexible and Waterproof.

Size  
**XL**



**GREEN DOUBLE DIPPED GAUNTLET GLOVE 11"**  
GLGDD11

EN420 | EN388 | 4121  
EN374-2 | EN374-3.

Double dipped PVC gauntlet glove with fleece jersey liner, actifresh sanitised, superior rough palm finish for excellent grip in all conditions, offers protection against acids, oils alkalis, water & grease. 11" (28cm) length. Also available in 14" (36cm) length. Code GLGDD14

Size  
**XL**



## SHOULDER LENGTH GLOVES

**12910 EXTRA LONG GAUNTLET GLOVE**  
GLT12910

EN420 | EN388 | 4121  
EN374-2 | EN374-3.

Ideal for use in food processing, chemical industries, utilities, maintenance, cleaning, handling oily parts. Soft PVC coating maintains dexterity and pliability at low temperatures. Based on a 13 gauge seamless liner. Ergonomic hand shape provides an excellent natural fit. Dipped rough finish makes handling wet and slippery materials easier and safer. Heat sealed sleeve.

Size  
**M-XL**



**TEGERA®**



**LONG JOHN GLOVE**  
GLLJ24

EN420 | EN388 | 4121  
EN374-2 | EN374-3.

PVC gauntlet with a cotton liner and an integral PVC sleeve. Offers good mechanical protection and resistance to oils. Length 25" (63cm).

Size  
**XL**





## COLD PROTECTION GLOVES

**7390 FULLY COATED GLOVE**  
GLT7390

EN420 | EN388 | 4131  
EN511 | EN374-2 | EN374-3.

A glove for all cold and demanding environments, dipped in oil-resistant and durable vinyl, which gives a very good grip. Lined with acrylic, which stays warm.

Size  
**L-XL**



**TEGERA®**



**DEEP BLUE WINTER GLOVE**  
GL2299500

EN420 | EN388 | 4121 | EN511

Provides protection against abrasive risks in a cold environment. Blue nitrile foam coating, fully dipped, polar fleece lining.

Size  
**S-XXL**



**Honeywell**



**9128 WINTER LINED GLOVE**  
GLT9128

EN420 | EN388 | 1111 | EN511 | 11X

Synthetic Winter-lined leather glove with Microthan®+ and Thinsulate® Fleece Lining. High-viz colour, Chrome free, Elasticated 360°. Suitable for all round work.

Size  
**S-XXL**



**TEGERA®**



**295 COLD CONDITIONS GLOVE**  
GLT295

EN420 | EN388 | 2121 | EN511 | 020

TEGERA 295 Leather lined cold conditions glove. Full grain goatskin with Spandex and Thinsulate® lining, Reinforced index finger, Waterproof, Elasticated 180°. Suitable for all round work.

Size  
**S-XXL**



**TEGERA®**

## COLD PROTECTION GLOVES

### 417 THERMAL LINER GLOVE GLT417

EN420 | EN388 | 1221 | EN511 | 11X

Fully lined Synthetic leather glove, Polyester Fleece Lining, Chrome free, Soft, Elasticated 360°. For precision work or for use as a glove liner.

Size  
**M-XXL**



**TEGERA®**



### 7802 THERMIT INSULATOR GLOVE GLRTI

The Thermit Gloves provides insulation against cold. Seamless construction will not irritate hands, even during prolonged periods of wear. Thermal yarn provides a close fit and excellent dexterity. Ambidextrous, increasing glove life and reducing costs. Can be worn as an insulated liner under other gloves.

Pack  
**12 pairs**

Carton  
**120 pairs**

Size  
**One Size Fits All**



### LINED LEATHER FREEZER GLOVE GLLFG

EN420

Size  
**XL**

High quality soft cow hide leather glove. Fleece lined for insulation purposes, elasticated wrist.



### THINSULATE WOOL GLOVE GLTW

CE

Size  
**One Size**

Durable acrylic gloves with a cosy thinsulate lining. Ideal for work in low risk environments.



## CUT 5 FOOD INDUSTRY GLOVE

### HERCULES CUT 5 GLOVE

EN388:2016 2X41F

GLHC5

Superior quality two tone white/blue cut resistant glove, protects against knife laceration in food industry applications. 10 gauge heavyweight. Sold as a single glove - not in pairs.

Size  
**S-XXL**



## HEAT RESISTANT GLOVES



### ASTROFLEX GLOVE

EN420 | EN388 | 2241 | EN374-2

GLMA

EN374-3 | AKL | EN407 | X2XXXX

Supported natural rubber blue latex glove, seamless liner for greater comfort during use, wrinkled finish on hand ensures good grip in wet and dry conditions, good flexibility and dexterity, allows hot contact up to 250°C.

Size  
**M-XXL**



## HEAT RESISTANT ESD GLOVES

### TEGERA 666 CUT 5 GLOVE

EN420 | EN388 | 2532 | EN407 | 41310X

GLT666

Cut resistant glove, Neoprene, Palm-dipped, KEVLAR® fiber, Glass fibre thread, 13 gg, Foam grip pattern, Cut resistance level 5, Cat. II. , Withstands contact heat up to 100°C, water and oil repellent palm. Suitable for fine assembly work.

Size  
**S-XXL**



**TEGERA®**

## WELDERS GLOVES

### RED WELDERS GAUNTLET GLOVE GLRW14

EN420 | EN407 | EN388 | 4143

Fully lined split leather welders gauntlet glove with reinforced palm.

Size  
**XL**



### BLUE GOLD WELDERS GLOVE GLBGW

EN420 | EN407 | 4XXXXX | EN388 | 4244

Superior quality fully lined split leather welders gauntlet glove with reinforced palm, kevlar threaded seams and fully lined insulating material in hand area.

Size  
**XL**



### ARGON WELDERS GLOVE GLAW14

EN420 | EN407 | EN388 | 2011

Argon TIG soft grey goatskin leather welding glove. 6" chrome leather cuff, lightweight and flexible.

Size  
**XL**



## CHEMICAL RESISTANT GLOVES

### CLICK BF6 CHEMICAL GAUNTLET GLOVE

EN420 | EN388 | 4121 | EN374-2  
EN374-3 | A2 | J3 | K6

Robust, yet light fully coated double palm gauntlet. Textured black palm area. Gimped cuff.

Size  
**M-XL**





## CHEMICAL RESISTANT GLOVES

**18601 CHEMICAL RESISTANT GLOVE**  
GLT18601

EN420 | EN388 | EN 4101  
EN374-2 | EN 374-3

TEGERA 18601 is a chemical protection glove 0,38 mm thick. Nitrile, Diamond grip pattern, Flock-lined, Cat. III. Latex-free, Oil and grease resistant. Suitable for all-round work.

Size  
**M-XL**



**TEGERA®**



**NITRILE ELITE GLOVES**  
GLNT

EN420 | EN388 | 4201 | EN374-2 | EN374-3

Nitrile synthetic rubber glove with a flock lining. Grip pattern on palm, protects against chemicals including strong detergents, oils and certain solvents. Food handling approved. Similar to household glove.

Size  
**M-XXL**



**NEOPRENE FLOCK LINED GAUNTLET GLOVE**  
GLBN

EN420 | EN388 | 4101  
EN374-2 | EN374-3

Neoprene rubber glove with a flock lining. Grip pattern on palm, protects against chemicals. Similar to household glove.

Carton  
**144 pairs**

Size  
**M-XL**



**BLACK RUBBER GAUNTLET GLOVE**  
GLBR17 17" (43cm) GLBR24 24" (60cm)

EN420 | EN388 | 4121  
EN374-2 | EN374-3

Medium weight natural rubber glove with fungicidal agent, chlorinated and anatomically shaped, offers protection against acids, oils alkalis, water & grease. Available in 2 lengths.

Carton  
**48 pairs**

Size  
**M-XL**



## LEATHER WORK GLOVES

### CANCSP HIGH QUALITY RIGGER GLOVE GLCANCSP

EN420 | EN388 | 4244

Rigger Glove with quality chrome leather palm finger tips & knuckle strap. Green cotton drill backing & safety cuff. Superior performance and durability. Generously sized. Comfortable fleece lined palm and thumb-face.

Size  
**XL**

### CANADIAN PLUS GREY RIGGER GLOVE GL1015N

EN420 | EN388 | 3143

Heavyweight cotton and heavy duty split leather make up this effective, hardworking Canadian Plus Rigger – perfect for dry handling and general maintenance tasks. Chrome split leather, Cotton fabric, Pasted cuff, Palm lining, Elastic tensioner, Knuckle strap.

Size  
**XL**

### UNLINED LEATHER DRIVERS GLOVE GLULD

EN420 | EN388 4133

Unlined leather drivers glove, full very soft cow hide leather, elasticsation at back for a snug fit.

Size  
**M-3XL**



## ANTI-SYRINGE GLOVES



**HEXARMOR 9014 GLOVE**  
GLHA9014

EN 420 | EN388 4544 | Cut Level 5

Hexarmor 9014 Anti Syringe Glove has highest needlestick resistance available. Tested using actual 25 gauge needles. Highest level of cut resistance on noted enhanced areas. Comfortable wrinkle rubber palm coating with Actifresh™ anti-microbial treatment.

Size  
**S-XL**



**HEXARMOR 3041 GLOVE**  
GLHA3041

EN420 | EN388 4522 | Cut Level 5

The Hexarmor 3041 anti syringe glove has highest needlestick resistance available. Tested using actual 25 gauge hypodermic needles. Highest level of cut resistance over entire hand and wrist area. Specialised gripping surface on palm. Elasticated at the wrist for a secure fit.

Size  
**S-XXL**



**HEXARMOR 4041 GLOVE**  
GLHA4041

EN420 | EN388 4522 | Cut Level 5

The Hexarmor 4041 anti syringe glove has highest needlestick resistance available. Tested using actual 25 gauge hypodermic needles. Improved fit and feel from memory span liner. Added back-of-hand knuckle padding for incidental bumps/impact. Large silicone pattern on the palm for better grip.

Size  
**S-XXL**



**ROSTAING ANTI-SYRINGE GLOVE**  
GLRR

EN420 | EN388 4544 | Cut Level 5

The Rostaing Ripeurco glove offers maximum resistance to syringes. Ideal for working in wet and greasy environments such as garbage collection. Cowhide split leather on palm, fingers and back. Length 27cm including a 7cm strong cotton fabric cuff.

Size  
**M-XXL**



## ANTI-VIBRATION GLOVES

### TEGERA 9180 ANTI-VIBRATION GLOVE

GLT9180

EN10819 | EN420 | EN388 0222

An excellent vibration-reducing glove in thin and flexible Microthan®. A unique combination of fingertip sensitivity and vibration reduction, thanks to a new-developed material. Curved fingers.

Size  
M-XL



■ TEGERA®



### FINGERLESS GEL GRIP GLOVES

GLFGG01

CE

High quality fingerless gloves. Ideal for use with power tools. Synthetic silicon coated palm for extra grip. Gel inserts provide a comfort fit.

Size  
M-XXL



### PROFLEX 9012 IMPACT GLOVE

GL9012

EN388 3122

Anti-vibration glove with abrasion resistant pigskin leather palm. Built in wrist support. Neoprene knuckle pad.

Size  
S-XXL



**POLYESTER LINER GLOVE**

GLRP

EN420 | CE

100% Polyester Reusable Glove Liners to be worn under Nitrile or Vinyl or Latex Gloves. To keep hands warm and/or to prevent skin irritation.

Size  
**XL Mens only**

**COTTON LINER STOCKINETTE GLOVE**

GLCLKWM

EN420 | CE

Cotton glove used as a liner under other gloves. Knitted wrist.

Size  
**M-XL**

**MIXED FIBRE GLOVE**

GLMFM

CE

Seamless mixed fibre gloves. Knitted glove with Elasticated wrist, Ambidextrous.

**TEGERA 312 NYLON LINT FREE GLOVE**

GLT312

EN388 212X

General handling work glove. Extra flexible with extremely good fingertip sensitivity. Comfortable and breathable with rolled edges cuff.

Size  
**XS-XL**



**TEGERA®**

**ISO ARC ELECTRICAL PROTECTION****ELECTROSOFT ISO ARC GLOVE**

GL2092002

EN60903 :2003 Class 0 | IEC 61482-1-2

For electrical work with a maximum voltage of 1000 volts. Designed to be used in Arc Flash environment. ATPV 21,6/cal. External layer in orange polychloroprene. Chlorinated inside. Length 14" (36cm).

Size  
**S-XXL**

**Honeywell**

## DISPOSABLE GLOVES HEAVYWEIGHT

### NITRIGRIP GLNG

EN374-2 | EN374-3

Ambidextrous extra long and thick nitrile household glove with fish scale type grip on palm and back. Powder free. Food Handling Approved for all categories including fatty foods.

Box <b>50 gloves</b>	Carton <b>500 gloves</b>	Size <b>M-XXXL</b>	
-------------------------	-----------------------------	-----------------------	--



### NITRIGRIP XD GLNGXD

EN374-2 | EN374-3

Extra dexterity ambidextrous extra long and thick nitrile household glove with fish scale type grip on palm and back. Powder free. Food Handling Approved for all categories including fatty foods.

Box <b>50 gloves</b>	Carton <b>500 gloves</b>	Size <b>M-XXXL</b>	
-------------------------	-----------------------------	-----------------------	--



### NITRIPLUS / NITRIPLUS XD GLNP / GLNPXD

EN374-2 | EN374-3

Ambidextrous extra long and thick glove household glove. Powder free. Food Handling Approved for all categories including the key fatty foods category. XD is a higher dexterity version.

Box <b>50 gloves</b>	Carton <b>500 gloves</b>	Size <b>M-XXXL</b>	
-------------------------	-----------------------------	-----------------------	--



### GRIPSTER SKINS

**GLGSO** Orange | **GLGSB** Black

EN374-2 | EN374-3 | EN388

Patented Double Sided Grip improves grip on the outer surface with the product being handled and on the inner surface with your hand. Grip is improved by our unique fish scale design. Improved wet, dry & oily grip. Ambidextrous. Made from extra strong nitrile material. Contains no latex. Available in Black and Orange.

Box <b>50 gloves</b>	Carton <b>500 gloves</b>	Size <b>S-XXL</b>	
-------------------------	-----------------------------	----------------------	--



**REDBACK NITRILE POWDER FREE GLOVES**

EN420 | EN1186

GLNPFD

Blue ambidextrous disposable glove. Powder free. Good tear resistance. Food Handling Approved for all categories.

Box  
**100 gloves**

Carton  
**1000 gloves**

Size  
**S-XL**

**NITRIKARE MEDICAL GRADE POWDER FREE GLOVE** GLNPFD

EN420 | EN455 | EN374-1 | EN374-2

Violet blue colour. Tested for use with selected chemotherapy drugs. Produced without odours that irritate glove users.

The thin flexible film gives comfort to users and at the same time assures strength that offers reliable wearer protection. Textured fingertips enhance grip. Used in over 6000 hospitals worldwide. Utilizes unique Single Dispensing System (SDS) which allows gloves to come out one at a time rather than in bundles.



GLNMFP

Box **100 gloves**Carton **1000 gloves**Size **S-XL**

GLN2MPFBI

Box **200 gloves**Carton **2000 gloves**Size **XS-XL****FINITE NITRILE POWDER FREE GREEN GLOVE** GLNPFDG

EN420 | EN374-1 | EN374-2 | EN374-3

Nitrile synthetic rubber glove which provides an effective barrier against oils, acids and other chemicals. Beaded cuff prevents liquid roll back. Available in powdered and powder free versions.

Box  
**100 gloves**

Carton  
**1000 gloves**

Size  
**S-XL**

**VINYL BLUE DISPOSABLE GLOVE**

EN420 | EN1186

GLVBD

Ambidextrous disposable glove. Beaded cuff for extra strength, lightly powdered, Food Handling Approved.

Box  
**100 gloves**

Carton  
**1000 gloves**

Size  
**S-XL**



MJSCANNELL SAFETY

