

PRODUCT NUMBER: 1005952

## Percap Banded Earplugs



### Overview

#### Reference Number

1005952

#### Product Type

Hearing Protection

#### Range

Earplugs

#### Line

Banded Earplugs

#### Brand

Howard Leight by Honeywell

#### Brand formerly known as

n/a

#### Industry

- Industry
- Administration
- Agriculture
- Army - Defence
- ATEX environment
- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Catering
- Chemical Industries
- Energy or Electricity
- Fire Protection brigades
- Fishing
- Food Industries
- Foundry
- Glass Industries
- Green Spaces
- Homeland defense
- Industrial Cleaning
- Iron and steel industry
- Laboratory
- Logistics
- Maintenance
- Medical and Pharmaceutical
- Metal steel
- Mining and Quarrying
- Offshore
- Paper Industries
- Petro-chemical
- Printing Industries
- Services
- Ship Building
- Telecoms
- Textile Industries
- Transportation
- Utilities
- Water treatment
- Welding
- Wood Industries

**Product Use**

Banded Earplug, Foldable

**Features & Benefits**

**Feature**

Semi-aural protection, super soft pods rest outside the ear canal opening. Multiple position wear: over-the-head, under-the-chin or behind-the-neck provides flexibility in wear. Compact, folding design easy to store in pocket. Ideal for workers who are exposed to intermittent noise.

**Benefit**

For workers who are exposed to intermittent or low levels of noise, Howard Leight's PerCap banded earplugs offer an alternative to earplugs and earmuffs. From its compact design to semi-aural protection, PerCap offers reliable protection from noise with ear pods that rest outside of the ear canal opening. PerCap can be worn in three positions and folds down for pocket-sized storage, ideal for supervisors and other workers who are in and out of noisy areas, and need easy access to hearing protection

**Technical Description**

**Attenuation Data**

	63	125	250	500	1000	2000	4000	8000
Frequency (Hz) Frequenz (Hz) Fréquence (Hz)								
Mean Attenuation (dB) Mittlere Dämmung (dB) Atténuation moyenne (dB)	21.4	22.5	21.5	19.0	22.6	30.3	35.7	38.8
Standard Deviation (dB) Standardabweichung (dB) Déviation standard (dB)	4.8	3.5	3.6	2.9	2.7	3.1	4.2	4.3
Assumed Protection (dB) Angenommener (dB) Protection supposé (dB)	16.6	19.0	17.9	16.1	19.9	27.2	31.5	34.5

**Size**

Fits All

**Shape**

oval pad

**Corded Material**

n/a

**Corded**

No

**Design Patents**

Folding Banded Earplug

### Certifications

 **E.C. Declaration of Conformity**

**EC Category PPE**  
2

**Quality Assurance**  
ISO 9001 / 2000

**EC Certificate Number**  
961088

**EC Attestation**  
 EC Attestation

**EC Attestation Number**  
200422744

### Photos & Images

We're sorry, there are no images available at this time.

### Maintenance

#### Life Cycle

These earplug pods must be disposed of and replaced after each wearing.

#### Storage Information

All earplugs should be stored before and between usages in a way that protects them from dirt, grease, and other contaminants.

#### Care Instructions

Disposable earplugs are made of either TPE (Thermoplastic elastomers) or polyurethane foam. Washing and cleaning of disposable earplugs are not recommended. These plugs must be disposed of and replaced after each wearing. Excessive moisture reduces the attenuation and slows down the foam recovery which may lead to improper fit.

### Parts & Accessories

#### Accessories

Replacement pods - Ref. # 1005980

Packaging

**EAN Code**

17312550059521

---

**Honeywell**

[View other region sites](#)

© 2011 Honeywell International Inc.