



PRODUCT NUMBER: 1000106
**Bilsom 304L Foamplug
(Corded)**

[Learn more about our products at howardleight.com](http://howardleight.com)

>



Overview

Reference Number

1000106

Product Type

Hearing Protection

Range

Earplugs

Line

Disposable Earplugs

Brand

Howard Leight by Honeywell

Brand formerly known as

BILSOM

Industry

- Industry
- Administration
- Agriculture
- Army - Defence
- ATEX environment
- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Catering
- Chemical Industries
- Energy or Electricity
- Fire Protection brigades
- Fishing
- Food Industries
- Foundry
- Glass Industries
- Green Spaces
- Homeland defense
- Industrial Cleaning
- Iron and steel industry
- Laboratory
- Logistics
- Maintenance
- Medical and Pharmaceutical
- Metal steel
- Mining and Quarrying
- Offshore
- Paper Industries
- Petro-chemical
- Printing Industries
- Services
- Ship Building
- Telecoms
- Textile Industries
- Transportation
- Utilities
- Water treatment
- Welding
- Wood Industries

Product Use

Single-Use Earplug, Corded

Features & Benefits

Feature

POLYURETHANE FOAM Soft foam delivers superior long-wearing comfort and solid performance. SMOOTH, SOIL-RESISTANT SKIN Prevents dirt or other substances from accumulating on skin or entering ear canal.

Benefit

The Bilsom 300 Series earplugs are ideal for workers who need to block out loud noise and demand the best protection and comfort available in an earplug. Europe most-used polyurethane earplug, the 300 series earplug, offers superior noise-blocking performance in a single-use earplug.

Technical Description

SNR (dB)

33

H (dB)

32

M (dB)

29

L (dB)

29

Attenuation Data

| Frequency (Hz) Freqenz (Hz) Fréquence (Hz) | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 |
|-------------------------------------------------------------------------|------|------|------|------|------|------|------|------|
| Mean Attenuation (dB) Mittlere Dämmung (dB) Atténuation moyenne (dB) | 28.4 | 37.3 | 37.9 | 39.1 | 36.0 | 34.6 | 42.5 | 46.4 |
| Standard Deviation (dB) Standardabweichung (dB) Déviation standard (dB) | 6.4 | 9.0 | 9.2 | 9.7 | 7.9 | 4.6 | 4.9 | 4.7 |
| Assumed Protection (dB) Angenommener (dB) Protection supposée (dB) | 22.0 | 28.3 | 28.7 | 29.4 | 28.1 | 30.0 | 37.6 | 41.8 |

Size

Regular

Color

Yellow and white

Shape

bullet

Corded

Yes

Weight (grs)

0.48

Certifications

EU Category PPE

3

Quality Assurance

ISO 9001 / 2000

EU Certification

2777/12515-01/E00-00

Literature & Documents

PIC SKU - Pictures

<http://www.honeywellsafety.com/assets/0/324/500/51887/bd54459da17d4e398f64385d9e4e9339.jpg>

PIC SKU - Pictures

<http://www.honeywellsafety.com/assets/0/324/500/51887/1465e3c132cf4130bed2f0c82ffae66d.jpg>

PIC SKU - Pictures

<http://www.honeywellsafety.com/assets/0/324/500/51887/3c9737436dc84e1e864c60bec9090ecb.jpg>

PIC SKU - Pictures

<http://www.honeywellsafety.com/assets/0/324/500/51887/7a0ed3d2c03449c7a22aa7828e9ae532.jpg>

Additional Information

User Manual

Instruction Manual - Bilsom 303 (global)

Maintenance

Life Cycle

These plugs must be disposed of and replaced after each wearing.

Storage Information

All earplugs should be stored before and between usages in a way that protects them from dirt, grease, and other contaminants.

Care Instructions

Disposable earplugs are made of either TPE (Thermoplastic elastomers) or polyurethane foam. Washing and cleaning of disposable earplugs is not recommended. These plugs must be disposed of and replaced after each wearing. Excessive moisture reduces the attenuation and slows down the foam recovery which may lead to improper fit.

Packaging

EAN Code

7312553041106