




Product Family

Honeywell A800 Series

Affordable and economically priced! Sporty, wrap-around eyewear with unique temples with extra "Flex" built in for increased tension control.

Honeywell

Product Numbers & Ordering Information

	Product Numbers	Details
	1015370	Clear Frame Clear Lens, Anti-scratch Coating
	1015368	Gray Frame TSR Gray Lens, Anti-scratch Coating
	1015350	Gray Frame I/O Silver Mirror Lens, Anti-scratch Coating
	1015369	Clear Frame Clear Lens, Fog-Ban Anti-fog Coating

Overview

Key Features

- Affordably priced and economical for your business
- Sporty, 9-base wrap-around polycarbonate lens
- Non-slip rubber nose bridge
- Unique temples with soft, padded inserts down the length of the temple
- Extra "flex" built into the temple for increased tension control
- Available with scratch-resistant hardcoating or optional Fog-Ban® anti-fog coating

Recommended Industries/Use

Honeywell A800 Series

Hazards • Agriculture • Construction • Food Services • Forestry • Manufacturing • Medical
• Municipal Services • Oil and Gas • Steel and Metals
• Abrasion • Airborne Particulates • Biohazard • Impact • Low Visibility

Regulations

- ANSI Z87+ -
- EC Category PPE: Category II, Standard EN166:2001 European Directives 89/686/EEC, Quality Assurance: ISO 9001/2000, Optical Class 1, F-Low energy impact

Historical Brand

Pulsafe, Willson, Honeywell

Warranty Information

LIMITED WARRANTY: Honeywell warrants that its products are free from defects in material and workmanship. A product that is subject of a warranty claim must first be made available to an authorized Honeywell Safety Products distributor or the seller from whom the product was purchased. All warranty returns must be shipped pre-paid. Honeywell or the Honeywell Safety Products distributor will then determine whether repair or replacement of the product is the appropriate remedy. This will be done at no charge to the end-user. This limited warranty does not cover any Honeywell product or component found to have been altered, misused, abused, tampered with or improperly maintained or to have deteriorated due to aging of any components made of rubber or any other elastomer. This limited warranty does not cover any damage, loss or expense due to damage caused by accident, abuse, improper maintenance, use or misuse of the product. Honeywell Safety Products should be used only on strict accordance with and adherence to the detailed instructions and warnings provided with the product.

Specifications

Range

- Spectacles

Lens Type

- Single

Lens Overall Width

- 145mm

Lens Material

- Polycarbonate

Lens Coating

- Hardcoat, Fog-Ban® Anti-Fog Coating

Lens Thickness

- 2.1mm

Available Lens Tints

- Clear, TSR® Gray, Amber, Blue Mirror, I/O Silver Mirror

Replacement Lenses Available (Yes/No)

- No

Rx Capable

- No

Temple Material

- Polycarbonate

Temple Length

- 115mm

Temple Set-back

- 35mm

Temple Style

- 1 piece

Spectacle Weight

- 21.5 grams

Frame Material

- Frameless Uni-lens

Available Frame Colors

- Clear, Gray, Amber

Dielectric Frame (Yes/No)

- Yes

Packaging

- 1/polybag, 10 pr./stocker, 200 pr./case

Country of Origin

- China

Side Shield Material

- N/A

MSDS Requirements

- None

WHMIS Requirements

- None

Harmonization Code

- 9004.90.0000

Training & Proper Use

All products come packaged with instructions and warnings for proper use.

Technical Support

France : info-france.hsp@honeywell.com
Export : info-export.hsp@honeywell.com
Belgium, Luxembourg, netherlands : info-benelux.hsp@honeywell.com
Germany, Austria, Switzerland : info-germany.hsp@honeywell.com
Italy : info-italia.hsp@honeywell.com
United Kingdom, Middle East & SouthernAfricaBranch : info-uk.hsp@honeywell.com
Spain, Portugal : info-spain.hsp@honeywell.com
Sweden, Denmark, Finland, Iceland, Norway : info-nordic.hsp@honeywell.com
Estonia, Latvia, Lithuania : info-nordic.hsp@honeywell.com
Russia : info-russia.hsp@honeywell.com
Hungary : info-hungary.hsp@honeywell.com
Poland : info-poland.hsp@honeywell.com

© Honeywell International Inc.

Locally available from

ANSAC

ANSAC TECHNOLOGY (S) PTE LTD

35, Marsiling Industrial Estate Road 3,

#02-01 Singapore 739257

T: (65) 6368 0225 F: (65) 6368 8023

E: sales@ansac-tech.com.sg | www.ansac-tech.com.sg