








Product Family
XV100 Series

Super-economy based eye protection.

Product Numbers & Ordering Information

	Product Numbers	Details
	1028860	XV100 Frosted Frame Clear Lens, Anti-scratch Coating
	1029692	XV101 Gray Frosted Frame Gray Lens, Anti-scratch Coating
	1028861	XV102 Gray Frosted Frame I/O Silver Mirror Lens, Anti-scratch Coating
	1028862	XV103 Frosted Frame Clear Lens, Fog-Ban Anti-fog Coating
	1029691	XV104 Yellow Frosted Frame Yellow HDL Lens, Fogban Coating

Overview

Key Features

- 10-base, wrap-around uni-lens for great peripheral vision and protection
- Molded, universal nosepiece for easy fit
- Lightweight design and thin, shaped temples for all-day comfort
- Available in clear, gray, and indoor-outdoor silver mirror lens tints for a variety of applications

- Anti-scratch Hardcoat lenses for maximum durability
- Optional Fog-Ban® anti-fog coating available (clear lens)

Specifications

Lens overall width

- 139mm nominal

Lens material

- Polycarbonate

Lens coating

- Anti-fog, Anti-Scratch Coating

Lens thickness

- 2.5mm Pinimum

Lens tints

- Clear, Standard Gray, I/O Silver

Replacement lenses

- No available

Rx capable

- No

Temple material

- Polycarbonate

Temple length

- 118.8mm

Temple set-back

- 75mm

Temple style

- Skull wrap

Frame material

- Polycarbonate

Frame colors

- Clear, Standard Gray

Side shield material

- n/a

Dielectric frame

- No

Packaging (spectacle)

- Ind. box, 10/stocker, 200/case

Country/Region of Origin

- Taiwan

MSDS requirements

- None

WHMIS requirements

- None

Harmonization code

- 9004.90.0000

Certifications

XV100 Series EU Certificate

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Secured/4294995675/1033.aspx

© Honeywell International Inc.