

GasAlert MicroClip XT

Order Sheet

With the GasAlertMicroClip XT's automatic test and calibration system, power options to outlast your shift, one button simplicity and IntelliFlash™ that provides continuous visual confirmation of detector operation and compliance, multi-gas detection is made simple.



Choose any sensor combination for your GasAlertMicroClip XT multi-gas detector, which comes with a battery charger for your specific region. A variety of accessories and spares are available to compliment your detector and suit your application, such as confined space kits, carrying accessories, power options, docking station systems and sampling/testing equipment.

Standard Package Contents

- GasAlertMicroClip XT
- Charger wall plug
- Calibration cap and tubing
- Manual, materials booklet and technical reference guide

Confined Space Kit includes

- Leather carrying case
- IR connectivity kit
- 0.5 LPM regulator
- 3 ft./1 m calibration hose with quick connect
- 10 ft./3 m sampling hose with quick connect
- Sampling probe
- Hard-sided carrying case with lid insert pockets and foam case insert



BWT
Technologies
by Honeywell

Wear yellow. Work safe.

<i>GasAlertMicroClipXT 4-Gas Detector</i>	Order Number	
	Yellow	Black
%LEL, O ₂ , H ₂ S, CO	MC2-XWHM-Y-UK	MC2-XWHM-B-UK

<i>GasAlertMicroClipXT 3-Gas Detector</i>	Yellow	Black
%LEL, O ₂ , H ₂ S	MC2-XWH0-Y-UK	MC2-XWH0-B-UK
%LEL, O ₂ , CO	MC2-XW0M-Y-UK	MC2-XW0M-B-UK
%LEL, H ₂ S, CO	MC2-0WHM-Y-UK	MC2-0WHM-B-UK
O ₂ , H ₂ S, CO	MC2-X0HM-Y-UK	MC2-X0HM-B-UK

<i>GasAlertMicroClipXT 2-Gas Detector</i>	Yellow	Black
%LEL, O ₂	MC2-XW00-Y-UK	MC2-XW00-B-UK
%LEL, H ₂ S	MC2-0WH0-Y-UK	MC2-0WH0-B-UK
%LEL, CO	MC2-0W0M-Y-UK	MC2-0W0M-B-UK
H ₂ S, CO	MC2-00HM-Y-UK	MC2-00HM-B-UK
O ₂ , H ₂ S	MC2-X0H0-Y-UK	MC2-X0H0-B-UK
O ₂ , CO	MC2-X00M-Y-UK	MC2-X00M-B-UK

<i>GasAlertMicroClipXT 1-Gas Detector</i>	Yellow	Black
%LEL	MC2-0W00-Y-UK	MC2-0W00-B-UK
O ₂	MC2-X000-Y-UK	MC2-X000-B-UK
H ₂ S	MC2-00H0-Y-UK	MC2-00H0-B-UK
CO	MC2-000M-Y-UK	MC2-000M-B-UK

<i>GasAlertMicroClipXT Region Codes</i>			
For orders outside the United Kingdom, change order number component “-UK” to:			
“-EU”	Europe	“-OR”	Other region with 3-pin UK plug
“-NA”	North America	“-OE”	Other region with 2-pin UK plug

<i>1 Year Extended Warranty Kit</i>	
O ₂ sensor + filter	MC2-WEXT-1Y

To be performed by certified trained personnel. Extended warranty can only be bought with a new instrument at the time of purchase on the same order.

<i>Gas Legend</i>			
%LEL	Combustible	H ₂ S	Hydrogen sulphide
O ₂	Oxygen	CO	Carbon monoxide

Confined Space Kit	Order Number
<i>GasAlertMicroClipXT</i> confined space kit – includes leather carrying case, IR Connectivity Kit, 0.5 LPM regulator, 3 ft. /1 m calibration hose with quick connect, 10 ft./3 m sampling hose with quick connect, sampling probe, and hard-sided carrying case with lid insert pockets and foam case insert. <i>Detector and calibration gas sold separately.</i>	MC-CK-DL
Carrying case for GasAlertMicroClipXT with foam and lid insert	MC-CK-CC

Carrying Accessories	Order Number
Neck strap with safety release	GA-NS-1
Short strap (6 in. / 15.2 cm)	GA-LY-1
Extension strap (4 ft. / 1.2 m)	GA-ES-1
Chest harness	GA-CH-2
Black leather and PVC carrying holster	MC2-LC-1

Power Options and Spares	Order Number
Multi-unit (5) cradle charger	MC2-C01-MC5
Multi-unit power adaptor	GA-PA-1-MC5
12-24 Vdc vehicle power adaptor	GA-VPA-1
12-24 Vdc direct-wire power adaptor	GA-PA-3
Replacement power adaptor	GA-PA-1-UK*

**For regions outside the United Kingdom replace “-UK” with: “-EU” for Europe and “-NA” for North America.*

<i>Datalogging Accessories</i>	Order Number
IR connectivity kit with Soft Tools software	GA-USB1-IR

<i>Sampling/Testing Equipment and Spares</i>	Order Number
Test cap and hose (1 ft. / 0.3 m) replacement	MC-TC-1
<i>MicroDock II -- automatic test and calibration system</i>	
- Base station and <i>GasAlertMicroClipXT</i> docking module with charging cable	DOCK2-2-1C1P-00-G
- Base station and <i>GasAlertMicroClipXT</i> docking module without charging cable	DOCK2-2-1P-00-G
- <i>GasAlertMicroClipXT</i> docking module with charging cable	DOCK2-0-1C1P-00-G
- <i>GasAlertMicroClipXT</i> docking module without charging cable	DOCK2-0-1P-00-G
Auxiliary filter kit (complete with filter adaptor and 5 filters)	MC-AF-K1
Auxiliary filter adaptor (no filters)	MC-AF-1
Auxiliary filter replacement for adaptor, kit of 10	MC-SS-AF-K1
Manual aspirator pump kit with probe (1 ft. / 0.3 m)	MC-AS01

<i>Sensor Spares and Replacements</i>	Order Number
Quad sensor screen filters, kit of 2	MC2-SS
Quad sensor screen filters, kit of 10	MC2-SS-K1
Replacement MICROpeL combustible (LEL) sensor	SR-W-MP75C
Replacement oxygen (O ₂) sensor	SR-X10-C1
Replacement MICROceL hydrogen sulphide (H ₂ S) sensor	SR-H-MC
Replacement MICROceL carbon monoxide (CO) sensor	SR-M-MC
Dummy sensor for combustible sensor location	SR-W-MC-DUM
Dummy sensor for oxygen sensor location	SR-DUMM1
Dummy sensor for toxic sensor locations	SR-TOX-MC-DUM



Thank you for reading this data sheet.

For pricing or for further information, please contact us at our UK Office, using the details below.



UK Office

Keison Products,

P.O. Box 2124, Chelmsford, Essex, CM1 3UP, England.

Tel: +44 (0)1245 600560

Fax: +44 (0)1245 808399

Email: sales@keison.co.uk

Please note - Product designs and specifications are subject to change without notice. The user is responsible for determining the suitability of this product.