



TEGERA® 12910



[Learn more](#)

Chemical protection glove, 0,3* mm (*chem-layer) PVC (Vinyl), sandy finish, cotton, seamless, Cat. III, extra long, for heavy work

CHARACTERISTICS

- Highest level of protection
- Good fit
- Very durable

FUNCTIONS

- Waterproof
- Extra long
- Protection against chemicals
- Latex-free
- Phthalate-free



PREVENTS RISK OF

risk of infection, corrosive injuries, contact with dirt, contact with chemicals, contact with moisture, contact with damp, contact with oil and fat

PRIMARY ENVIRONMENTS OF USE

chemical risk environments, microbiological risk environments, environments hazardous to health, corrosive environments, wet environments, moist environments, oily and greasy environments, dirty environments

PRIMARY AREAS OF USE

hvac installation, petro-chemical work, chemical work, chemical technology work, paper industry work, decontamination, sanitation, cleaning, laboratory work, fishing industry work, marine work

PRIMARY INDUSTRIES OF USE

agriculture, oil, gas, petrochemical, pulp and paper, chemical

TYPE OF WORK

Heavy weight

CHEMICAL RESISTANCE

According to EN16523-1:2015. For details, please contact Ejendals.

SPECIFICATION

TYPE Chemical protection gloves

CATEGORY Cat. III

THICKNESS 0,3* mm (*chem-layer)

LINING MATERIAL Seamless, Cotton

LENGTH 700 mm

GRIP DESIGN Sandy finish

COLOUR Blue

PAIRS PER: BUNDLE/CARTON 6/36

AQL 0.65

DIPPING MATERIAL PVC (Vinyl)

CUT RESISTANCE (EN ISO 13977) TDM: N

INNER MATERIAL SPECIFICATION Cotton

OUTER MATERIAL SPECIFICATION Polyvinyl chloride



EN 420:2003
+A1:2009



EN 388:2016
4121X



Information/UIS



EN ISO 374-5:2016



EN ISO 374-1:2016/Type B
JKL

TEST ACCORDING TO EN ISO 374-1:2016

Tested chemical	J	K	L
Permeation level	2	6	4
Degradation %	9,5	17,9	0,2

SIZE	ARTICLE NUMBER	EAN
7	12910-7	7392626074385
8	12910-8	7392626074392
9	12910-9	7392626074408
10	12910-10	7392626074361
11	12910-11	7392626074378

ejendals

Limavägen 28, SE-793 32 Leksand, Sweden

Phone +46 (0) 247 360 00 | info@ejendals.com | order@ejendals.com