

## Safety Data Sheet

According to Regulation (EC) No 1907/2006

## Sun Professional Classic Tablets

Revision: 2022-06-23

Version: 16.1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

**Trade name:** Sun Professional Classic Tablets Sun is a registered trade mark and is used under licence of Unilever

UFI: M3K4-E0W1-G00X-FCVJ

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against Product use: Dish wash product.

Uses advised against:

Uses other than those identified are not recommended.

#### SWED - Sector-specific worker exposure description :

AISE\_SWED\_PW\_4\_1 AISE\_SWED\_PW\_8b\_2 PC35-Washing and cleaning products AISE\_SWED\_PW\_1\_1 AISE\_SWED\_PW\_4\_1 PC35-Washing and cleaning products

#### 1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

#### Contact details

Diversey Ltd Weston Favell Centre, Northampton NN3 8PD, United Kingdom Tel: 01604 405311, Fax: 01604 406809 Regulatory Email: customerservice.uk@diversey.com

#### 1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible) For medical or environmental emergency only: call 0800 052 0185

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Eye Irrit. 2 (H319)

#### 2.2 Label elements



Signal word: Warning.

Contains subtilisin (Subtilisin)

#### Hazard statements:

H319 - Causes serious eye irritation. EUH208 - May produce an allergic reaction.

#### **Precautionary statements:**

P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children.

#### 2.3 Other hazards

No other hazards known.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
sodium carbonate	207-838-8	497-19-8	01-2119485498-19	Eye Irrit. 2 (H319)		30-50
Sodium percarbonate	239-707-6	15630-89-4	01-2119457268-30	Ox. Sol. 3 (H272) Acute Tox. 4 (H302) Eye Dam. 1 (H318)		10-20
sodium silicate	215-687-4	1344-09-8	01-2119448725-31	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)		3-10
tetrasodium (1-hydroxy ethylidene)bisphosphonate	223-267-7	3794-83-0	01- 2119510382-52	Acute Tox. 4 (H302) Eye Irrit. 2 (H319)		1-3
subtilisin	232-752-2	9014-01-1	01-2119480434-38	Acute Tox. 4 (H302) STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Resp. Sens. 1 (H334) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)		0.1-1

#### Specific concentration limits

Sodium percarbonate:

• Eye Dam. 1 (H318) >= 25% > Eye Irrit. 2 (H319) >= 1%

Workplace exposure limit(s), if available, are listed in subsection 8.1. ATE, if available, are listed in section 11. [4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006. For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

#### SECTION 4: First aid measures

4.1 Description of first aid measure	es
Inhalation:	Get medical attention or advice if you feel unwell.
Skin contact:	Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.
Eye contact:	Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation occurs and persists, get medical attention.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.
4.2 Most important symptoms and	effects, both acute and delayed
Inhalation:	No known effects or symptoms in normal use.

Inhalation:	No known effects or symptoms in normal use.
Skin contact:	No known effects or symptoms in normal use.
Eye contact:	Causes severe irritation.
Ingestion:	No known effects or symptoms in normal use.
-	

4.3 Indication of any immediate medical attention and special treatment needed No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

#### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

#### 5.2 Special hazards arising from the substance or mixture

No special hazards known.

#### 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

#### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

#### 6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water.

#### 6.3 Methods and material for containment and cleaning up

Collect mechanically. Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

#### 6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Measures to prevent fire and explosions:

#### No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

#### Advices on general occupational hygiene:

Follow general hygiene considerations recognised as common good workplace practices. Keep away from food, drink and animal feeding stuffs. Keep out of reach of children. Do not mix with other products unless adviced by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Avoid contact with eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. Keep out of reach of children.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

#### 7.3 Specific end use(s)

No specific advice for end use available.

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### Workplace exposure limits

Ingredient(s)	UK - Long term	UK - Short term
	value(s)	value(s)
subtilisin	0.00004 mg/m <sup>3</sup>	0.00012 mg/m <sup>3</sup>

Biological limit values, if available:

#### Recommended monitoring procedures, if available:

#### Additional exposure limits under the conditions of use, if available:

#### **DNEL/DMEL and PNEC values**

### Human exposure

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium carbonate	-	-	-	-
Sodium percarbonate	-	-	-	-
sodium silicate	-	-	-	0.8
tetrasodium (1-hydroxy ethylidene)bisphosphonate	-	-	-	2.4
subtilisin	-	3.6	-	1.8

#### DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium carbonate	-	-	No data available	-
Sodium percarbonate	12.8 mg/cm <sup>2</sup> skin	-	12.8 mg/cm <sup>2</sup> skin	-
sodium silicate	No data available	-	No data available	1.59
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available	-	No data available	48
subtilisin	0.2 %	-	-	-

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium carbonate	No data available	-	No data available	-
Sodium percarbonate	6.4 mg/cm <sup>2</sup> skin	-	6.4 mg/cm <sup>2</sup> skin	-
sodium silicate	No data available	-	No data available	0.8
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available	-	No data available	24
subtilisin	0.2 %	-	-	-

#### DNEL/DMEL inhalatory exposure - Worker (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium carbonate	-	-	10	-
Sodium percarbonate	-	-	5	-
sodium silicate	-	-	-	5.61
tetrasodium (1-hydroxy ethylidene)bisphosphonate	-	-	-	16.9
subtilisin	-	-	0.00006	-

#### DNEL/DMEL inhalatory exposure - Consumer (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium carbonate	10	-	-	-
Sodium percarbonate	-	-	-	-
sodium silicate	-	-	-	1.38
tetrasodium (1-hydroxy ethylidene)bisphosphonate	10	-	10	4.2
subtilisin	-	-	0.000015	-

#### Environmental exposure Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
sodium carbonate	-	-	-	-
Sodium percarbonate	0.035	0.035	0.035	16.24
sodium silicate	7.5	1	7.5	348
tetrasodium (1-hydroxy ethylidene)bisphosphonate	-	-	-	-
subtilisin	0.00006	0.000006	-	65

#### Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
sodium carbonate	-	-	-	-
Sodium percarbonate	-	-	-	-
sodium silicate	-	-	-	-
tetrasodium (1-hydroxy ethylidene)bisphosphonate	-	-	-	-
subtilisin	-	-	-	-

#### 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

#### Appropriate engineering controls: Appropriate organisational controls:

No special requirements under normal use conditions.

ntrols: Avoid direct contact and/or splashes where possible. Train personnel.

#### **REACH use scenarios considered for the undiluted product:**

	SWED - Sector-specific	LCS	PROC	Duration	ERC
	worker exposure			(min)	
	description				
PC35-Washing and cleaning products	PC35-Washing and	С	-	-	ERC8a
	cleaning products				
Automatic application in a dedicated system	AISE_SWED_PW_4_1	PW	PROC 4	480	ERC8a
Automatic transfer and dilution	AISE_SWED_PW_8b_2	PW	PROC 8b	60	ERC8b

#### Personal protective equipment Eye / face protection: Hand protection: Body protection:

No special requirements under normal use conditions. No special requirements under normal use conditions. No special requirements under normal use conditions.

Respiratory protection:	If exposure to dust cannot be avoided use: full-face mask (EN 136) with filter type HEPA (N100,
	Class H14) (EN 1822) or self-contained or compressed air breathing apparatus (EN 137 / EN 138) Consider specific local use conditions. In consultation with the supplier of respiratory protection
	equipment a different type providing similar protection may be chosen.

Environmental exposure controls: No special requirements under normal use conditions.

Recommended safety measures for handling the <u>diluted</u> product:

#### Recommended maximum concentration (% w/w): 1

Appropriate engineering controls:	No special requirements under normal use conditions.
Appropriate organisational controls:	No special requirements under normal use conditions.

#### REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration (min)	ERC
PC35-Washing and cleaning products	PC35-Washing and cleaning products	С	-	-	ERC8a
Automatic application in a dedicated closed system	AISE_SWED_PW_1_1	PW	PROC 1	480	ERC8a
Automatic application in a dedicated system	AISE_SWED_PW_4_1	PW	PROC 4	480	ERC8a

#### Personal protective equipment

Eye / face protection: Hand protection: Body protection: Respiratory protection: No special requirements under normal use conditions. No special requirements under normal use conditions. No special requirements under normal use conditions. No special requirements under normal use conditions.

**Environmental exposure controls:** No special requirements under normal use conditions.

#### SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Information in this section refers to the product, unless it is specifically stated that substance data is listed

Physical state: Solid Appearance: Tablets Colour: from White to Blue Odour: Product specific Odour threshold: Not applicable Melting point/freezing point (°C): Not determined Initial boiling point and boiling range (°C): Not determined

Not relevant to classification of this product Not applicable to solids or gases

Substance data, boiling point

Su

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
sodium carbonate	1600	Method not given	1013
Sodium percarbonate	Product decomposes before boiling		
sodium silicate	> 100	Method not given	
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available		
subtilisin	No data available		

Method / remark

Method / remark

Flammability (solid, gas): Not determined Flammability (liquid): Not applicable. Flash point (°C): Not applicable. Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined

See substance data

ubstance data, flammability or explosive limits, if available:		
Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
subtilisin	-	-

Autoignition temperature: Not determined Decomposition temperature: Not applicable.

Method / remark

# pH: Not applicable Dilution pH: ≈ 11 (1%) Kinematic viscosity: Not determined Solubility in / Miscibility with water: Soluble

ISO 4316 Not applicable to solids or gases

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sodium carbonate	210-215	Method not given	20
Sodium percarbonate	140	Method not given	20
sodium silicate	Soluble	Method not given	20
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available		
subtilisin	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

#### Method / remark

See substance data

Substance data, vapour pressure

Vapour pressure: Not determined

Ingredient(s)	Value	Method	Temperature
	(Pa)		(°C)
sodium carbonate	Negligible		
Sodium percarbonate	Negligible		
sodium silicate	No data available		
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available		
subtilisin	Not applicable		

Relative density: ≈ 0.95 (20 °C) Relative vapour density: No data available. Particle characteristics: Not determined.

#### 9.2 Other information

9.2.1 Information with regard to physical hazard classesExplosive properties:Not explosive.Oxidising properties:Not oxidising.Corrosion to metals:Not determined

Method / remark

OECD 109 (EU A.3) Not applicable to solids Not relevant to classification of this product.

Not applicable to solids or gases

#### 9.2.2 Other safety characteristics

No other relevant information available.

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

#### 10.2 Chemical stability

Stable under normal storage and use conditions.

#### 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

#### 10.4 Conditions to avoid

None known under normal storage and use conditions.

#### 10.5 Incompatible materials

None known under normal use conditions.

#### **10.6 Hazardous decomposition products**

None known under normal storage and use conditions.

#### 11.1 Information on toxicological effects

Mixture data:.

## Relevant calculated ATE(s): ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

#### Acute toxicity

Acute oral toxicity						
Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sodium carbonate	LD 50	2800	Rat	OECD 401 (EU B.1)		11000
Sodium percarbonate	LD 50	1034	Rat	Method not given		3100
sodium silicate	LD 50	3400	Rat	Method not given		Not established
tetrasodium (1-hydroxy ethylidene)bisphosphonate	LD 50	940	Rat	OECD 401 (EU B.1)		190000
subtilisin	LD 50	1800	Rat	OECD 401 (EU B.1)		1.3e+006

#### Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sodium carbonate	LD 50	> 2000	Rabbit	Method not given		Not established
Sodium percarbonate	LD 50	> 2000	Rabbit	OECD 402 (EU B.3)		Not established
sodium silicate	LD 50	> 5000	Rat	Method not given		Not established
tetrasodium (1-hydroxy ethylidene)bisphosphonate		No data available				Not established
subtilisin		No data available				Not established

#### Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	LC 50	> 2.3 (dust)		Weight of evidence	2
Sodium percarbonate		No data available			
sodium silicate		No mortality observed	Rat	Method not given	4
tetrasodium (1-hydroxy ethylidene)bisphosphonate		No data available			
subtilisin		-		Weight of evidence	

### Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust	ATE - inhalation, mist	ATE - inhalation,	ATE - inhalation, gas
	(mg/l)	(mg/l)	vapour (mg/l)	(mg/l)
sodium carbonate	Not established	Not established	Not established	Not established
Sodium percarbonate	Not established	Not established	Not established	Not established
sodium silicate	Not established	Not established	Not established	Not established
tetrasodium (1-hydroxy ethylidene)bisphosphonate	Not established	Not established	Not established	Not established
subtilisin	Not established	Not established	Not established	Not established

#### Irritation and corrosivity

Skin irritation and corrosivity				
Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	Not irritant	Rabbit	OECD 404 (EU B.4)	
Sodium percarbonate	Not irritant	Rabbit	Method not given	
sodium silicate	Irritant		Method not given	
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available			
subtilisin	Mild irritant	Rabbit	OECD 404 (EU B.4)	

#### Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	Irritant	Rabbit	OECD 405 (EU B.5)	
Sodium percarbonate	Severe damage	Rabbit	EPA OPP 81-4	
sodium silicate	Severe damage		Method not given	
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available			
subtilisin	Not corrosive or irritant	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity								
Ingredient(s)	Result	Species	Method	Exposure time				
sodium carbonate	No data available							

Sodium percarbonate	Irritating to respiratory tract	Mouse	Method not given	
sodium silicate	Irritating to respiratory tract		Method not given	
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available			
subtilisin	Irritating to respiratory tract			

Sensitisation Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium carbonate	Not sensitising		Method not given	
Sodium percarbonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	
sodium silicate	Not sensitising		Method not given	
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available			
subtilisin	No data available			

#### Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	No data available			
Sodium percarbonate	No data available			
sodium silicate	No data available			
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available			
subtilisin	Sensitising		Weight of evidence	

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
sodium carbonate	No data available		No data available	
Sodium percarbonate	No data available		No data available	
sodium silicate	No evidence for mutagenicity, negative test results		No data available	
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available		No data available	
subtilisin		OECD 471 (EU B.12/13) OECD 473 OECD 476 (Chinese Hamster Ovary)		

#### Carcinogenicity

Ingredient(s)	Effect
sodium carbonate	No evidence for carcinogenicity, weight-of-evidence
Sodium percarbonate	No data available
sodium silicate	No evidence for carcinogenicity, negative test results
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available
subtilisin	No data available

#### Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sodium carbonate			No data available				
Sodium percarbonate			No data available				
sodium silicate			No data available				No evidence for reproductive toxicity
tetrasodium (1-hydroxy ethylidene)bisphosphon ate			No data available				
subtilisin			No data available				

#### Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity						
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
sodium carbonate		No data				
		available				
Sodium percarbonate		No data				

		available			
sodium silicate	NOAEL	> 159	Rat	Method not given	
tetrasodium (1-hydroxy ethylidene)bisphosphonate		No data available			
subtilisin		No data available			

#### Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium carbonate		No data				
		available				
Sodium percarbonate		No data				
		available				
sodium silicate		No data				
		available				
tetrasodium (1-hydroxy ethylidene)bisphosphonate		No data				
		available				
subtilisin		No data				
		available				

#### Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium carbonate		No data available				
Sodium percarbonate		No data available				
sodium silicate		No data available				
tetrasodium (1-hydroxy ethylidene)bisphosphonate		No data available				
subtilisin		No data available				

#### Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sodium carbonate			No data available					
Sodium percarbonate			No data available					
sodium silicate			No data available					
tetrasodium (1-hydroxy ethylidene)bisphosphon ate			No data available					
subtilisin			No data available					

#### STOT-single exposure

Ingredient(s)	Affected organ(s)
sodium carbonate	No data available
Sodium percarbonate	No data available
sodium silicate	No data available
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available
subtilisin	Respiratory tract

#### STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sodium carbonate	No data available
Sodium percarbonate	No data available
sodium silicate	No data available
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available
subtilisin	No data available

Aspiration hazard Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms Effects and symptoms related to the product, if any, are listed in subsection 4.2.

#### 11.2 Information on other hazards

**11.2.1 Endocrine disrupting properties** Endocrine disrupting properties - Human data, if available:

#### 11.2.2 Other information

No other relevant information available.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

## Aquatic short-term toxicity Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	LC 50	300	Lepomis macrochirus	Method not given	96
Sodium percarbonate	LC 50	70.7	Pimephales promelas	Method not given	96
sodium silicate	LC 50	3185	Brachydanio rerio	Method not given	96
tetrasodium (1-hydroxy ethylidene)bisphosphonate		No data available			
subtilisin	LC 50	8.2	Fish	OECD 203 (EU C.1)	96

#### Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	EC 50	200-227	Ceriodaphnia dubia	Method not given	96
Sodium percarbonate	EC 50	4.9	Daphnia pulex	Method not given	48
sodium silicate	EC 50	1700	Daphnia magna Straus	Method not given	48
tetrasodium (1-hydroxy ethylidene)bisphosphonate		No data available			
subtilisin	EC 50	0.586	Daphnia	OECD 202 (EU C.2)	48

#### Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	EC 50	> 800	Selenastrum capricornutum		72
Sodium percarbonate	EC 50	2.5	Chlorella vulgaris	Read across	
sodium silicate	EC 50	207	Desmodesmus subspicatus	DIN 38412, Part 9	72
tetrasodium (1-hydroxy ethylidene)bisphosphonate		No data available			
subtilisin	Er C 50	0.830	Not specified	OECD 201 (EU C.3)	72

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium carbonate		No data available			
Sodium percarbonate		No data available			
sodium silicate		No data available			
tetrasodium (1-hydroxy ethylidene)bisphosphonate		No data available			
subtilisin		No data available			

Impact on sewage plants - toxicity to bacteria Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium carbonate		No data available			
Sodium percarbonate	EC 50	466	Activated sludge	OECD 209	0.5 hour(s)
sodium silicate		No data			

	available		
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available		
subtilisin	No data available		

## Aquatic long-term toxicity Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium carbonate		No data available				
Sodium percarbonate	NOEC	7.4	Pimephales promelas	Method not given	96 hour(s)	
sodium silicate	NOEC	348	Brachydanio rerio	Method not given	96 hour(s)	
tetrasodium (1-hydroxy ethylidene)bisphosphonate		No data available				
subtilisin		No data available				

#### Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium carbonate		No data available				
Sodium percarbonate	NOEC	2	Daphnia pulex	Method not given	48 hour(s)	
sodium silicate		No data available				
tetrasodium (1-hydroxy ethylidene)bisphosphonate		No data available				
subtilisin		No data available				

#### Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				
Sodium percarbonate		No data available				
sodium silicate		No data available				
tetrasodium (1-hydroxy ethylidene)bisphosphonate		No data available				
subtilisin		No data available				

Terrestrial toxicity Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

#### Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data				
		available				

#### Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

#### Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data				

available				
		available		

#### Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

#### 12.2 Persistence and degradability

Abiotic degradation Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium carbonate	No data available			
Sodium percarbonate	NA	Method not given		

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh	Method	Evaluation	Remark
	water			
sodium carbonate	No data available		Rapidly hydrolysible	
Sodium percarbonate	< 1 day(s)	Method not given	Hydrolysible	

Abiotic degradation - other processes, if available:

Ingredient(s)	Туре	Half-life time	Method	Evaluation	Remark
sodium carbonate		No data available			

Biodegradation Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
sodium carbonate					Not applicable (inorganic substance)
Sodium percarbonate					Not applicable (inorganic substance)
sodium silicate					Not applicable (inorganic substance)
tetrasodium (1-hydroxy ethylidene)bisphosphonate				Weight of evidence	Not readily biodegradable.
subtilisin				OECD 301B	Readily biodegradable

#### Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
sodium carbonate					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
sodium carbonate					No data available

#### 12.3 Bioaccumulative potential Water (leg Kow)

Farming coefficient n-octanol/water (log r	(UW)			
Ingredient(s)	Value	Method	Evaluation	Remark
sodium carbonate	No data available		No bioaccumulation expected	
Sodium percarbonate	No data available			
sodium silicate	No data available		Low potential for bioaccumulation	
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available			
subtilisin	< 0			

**Bioconcentration factor (BCF)** 

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium carbonate	No data available	-		No bioaccumulation expected	
Sodium percarbonate	No data available				
sodium silicate	No data available				
tetrasodium (1-hydroxy ethylidene)bisphosphon ate					
subtilisin	-			Not relevant, does not	

bioaccumulate						
---------------	--	--	--	--	--	--

#### 12.4 Mobility in soil

Adsorption/Desorption to soil or sediment
---

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
sodium carbonate	No data available				Potential for mobility in soil, soluble in water
Sodium percarbonate	No data available				High potential for mobility in soil
sodium silicate	No data available				
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available				
subtilisin	No data available				

#### 12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

### 12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

#### 12.7 Other adverse effects

No other adverse effects known.

#### SECTION 13: Disposal considerations

13.1 Waste treatment methods	The concentrated contents or contaminated packaging should be disposed of by a certified handler
Waste from residues / unused	or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging
products:	material is suitable for energy recovery or recycling in line with local legislation.
European Waste Catalogue:	20 01 29* - detergents containing dangerous substances.
Empty packaging Recommendation:	Dispose of observing national or local regulations.

### SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Non-dangerous goods

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations :

- Regulation (EC) 1907/2006 REACH (UK amended)
   Regulation (EC) 1272/2008 CLP (UK amended)
- Regulation (EC) 648/2004 Detergents regulation (UK amended)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)

International Maritime Dangerous Goods (IMDG) Code

#### Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to Detergents Regulation	
oxygen-based bleaching agents	15 - 30 %
polycarboxylates, non-ionic surfactants, phosphonates	< 5 %
enzymes, perfumes	

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made

available to them, at their direct request or at the request of a detergent manufacturer.

#### Comah - classification: Not classified

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

#### SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS3745

Version: 16.1

Revision: 2022-06-23

#### Reason for revision:

This data sheet contains changes from the previous version in section(s):, 1, 3, 8, 16, Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006

#### **Classification procedure**

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

#### Full text of the H and EUH phrases mentioned in section 3:

- H272 May intensify fire; oxidiser.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
  H411 Toxic to aquatic life with long lasting effects.

#### Abbreviations and acronyms:

· AISE - The international Association for Soaps, Detergents and Maintenance Products

- ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit
- EC50 effective concentration, 50%
- ERC Environmental release categories
- EUH CLP Specific hazard statement
- · LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
- LD50 Lethal Dose, 50% / Median Lethal dose
- NOAEL No observed adverse effect level
- NOEL No observed effect level
- OECD Organisation for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic • PNEC - Predicted No Effect Concentration
- PROC Process categories
- REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative

End of Safety Data Sheet